

W.A. Powell et al.

- SCHCODRAFT_15706 oxalate oxidase [*Schizophyllum commune* H4-8] - Gene, NCBI. https://www.ncbi.nlm.nih.gov/gene/?term=schcodraft_15706
- Sisco PH, Neel TC, Hebard FV, Craddock JH, Shaw J. 2014. Cytoplasmic male sterility in interspecific hybrids between American and Asian *Castanea* species is correlated with the American D chloroplast haplotype. *Acta Hort* **1019**: 215–222. doi:10.17660/ActaHort.2014.1019.32
- Smith DM. 2000. American chestnut: Ill-fated monarch of the eastern hardwood forest. *J Forestry* **98**: 12–15. doi:10.1093/jof/98.2.12
- Srivastava SK, Krishnan PS. 1962. An oxalic acid oxidase in the leaves of *Bougainvillea spectabilis*. *Biochem J* **85**: 33–38. doi:10.1042/bj0850033
- Stauder CM, Nuss DL, Zhang DX, Double ML, MacDonal WL, Metheny AM, Kasson MT. 2019. Enhanced hypovirus transmission by engineered super donor strains of the chestnut blight fungus, *Cryphonectria parasitica*, into a natural population of strains exhibiting diverse vegetative compatibility genotypes. *Virology* **528**: 1–6. doi:10.1016/j.virol.2018.12.007
- Steiner KC, Westbrook JW, Hebard FV, Georgi LL, Powell WA, Fitzsimmons SF. 2017. Rescue of American chestnut with extraspecific genes following its destruction by a naturalized pathogen. *New Forests* **48**: 317–336. doi:10.1007/s11056-016-9561-5
- Sugiura M, Yamamura H, Hirano K, Sasaki M, Morikawa M, Tusboi M. 1979. Purification and properties of oxalate oxidase from barley seedlings. *Chem Pharm Bull* **27**: 2003–2007. doi:10.1248/cpb.27.2003
- TERG_03492 oxalate oxidase [*Trichophyton rubrum* CBS 118892] - Gene, NCBI. https://www.ncbi.nlm.nih.gov/gene/?term=terg_03492
- Tricoli DM, Maynard CA, Drew AP. 1985. Tissue culture of propagation of mature trees of *Prunus serotina* Ehrh. I: Establishment, multiplication, and rooting in vitro. *For Sci* **31**: 201–208.
- Van Alfen NK. 2018. Hypovirulence of *Endothia* (*Cryphonectria*) *parasitica* and *Rhizoctonia solani*. In *Fungal virology* (ed. Buck KW). Taylor & Francis, New York.
- Vuletić M, Šukalović VHT. 2000. Characterization of cell wall oxalate oxidase from maize roots. *Plant Sci* **157**: 257–263. doi:10.1016/S0168-9452(00)00290-9
- Walz A, Zingen-Sell I, Loeffler M, Sauer M. 2008. Expression of an oxalate oxidase gene in tomato and severity of disease caused by *Botrytis cinerea* and *Sclerotinia sclerotiorum*. *Plant Pathol* **57**: 453–458. doi:10.1111/j.1365-3059.2007.01815.x
- Wang T, Zhang E, Chen X, Li L, Liang X. 2010. Identification of seed proteins associated with resistance to pre-harvested aflatoxin contamination in peanut (*Arachis hypogaea* L.). *BMC Plant Biol* **10**: 267. doi:10.1186/1471-2229-10-267
- Welch AJ, Stipanovic AJ, Maynard CA, Powell WA. 2007. The effects of oxalic acid on transgenic *Castanea dentata* callus tissue expressing oxalate oxidase. *Plant Sci* **172**: 488–496. doi:10.1016/j.plantsci.2006.10.015
- Woodcock P, Cottrell JE, Buggs RJA, Quine CP. 2018. Mitigating pest and pathogen impacts using resistant trees: A framework and overview to inform development and deployment in Europe and North America. *Forestry* **91**: 1–16. doi:10.1093/forestry/cpx031
- Xing Z, Satchwell MF, Powell WA, Maynard CA. 1997. Micropropagation of American chestnut: Increasing rooting rate and preventing shoot-tip necrosis. *In Vitro Cell Dev Biol Plant* **33**: 43–48. doi:10.1007/s11627-997-0039-1
- Xing Z, Powell WA, Maynard CA. 1999. Development and germination of American chestnut somatic embryos. *Plant Cell Tiss Organ Cult* **57**: 47–55. doi:10.1023/A:1006360730898
- Xuxia W, Jie C, Bo W, Lijun L, Hui J, Diluo T, Dingxiang P. 2012. Characterization by suppression subtractive hybridization of transcripts that are differentially expressed in leaves of anthracnose-resistant ramie cultivar. *Plant Mol Biol Rep* **30**: 547–555. doi:10.1007/s11105-011-0361-y
- Yoshikawa M, Tsuda M, Takeuchi Y. 1993. Resistance to fungal diseases in transgenic tobacco plants expressing the phytoalexin elicitor-releasing factor, β -1, 3-endoglucanase, from soybean. *Naturwissenschaften* **80**: 417–420. doi:10.1007/BF01168337
- Zasloff M. 1987. Magainins, a class of antimicrobial peptides from *Xenopus* skin: Isolation, characterization of two active forms, and partial cDNA sequence of a precursor. *Proc Natl Acad Sci* **84**: 5449–5453. doi:10.1073/pnas.84.15.5449
- Zhang B, Oakes AD, Newhouse AE, Baier KM, Maynard CA, Powell WA. 2013. A threshold level of oxalate oxidase transgene expression reduces *Cryphonectria parasitica*-induced necrosis in a transgenic American chestnut (*Castanea dentata*) leaf bioassay. *Transgenic Res* **22**: 973–982. doi:10.1007/s11248-013-9708-5



Cold Spring Harbor Perspectives in Biology

Developing Blight-Tolerant American Chestnut Trees

William A. Powell, Andrew E. Newhouse and Vernon Coffey

Cold Spring Harb Perspect Biol published online May 20, 2019

Subject Collection [Engineering Plants for Agriculture](#)

Developing Blight-Tolerant American Chestnut Trees

*William A. Powell, Andrew E. Newhouse and
Vernon Coffey*

Mechanisms and Impact of Symbiotic Phosphate Acquisition

Chai Hao Chiu and Uta Paszkowski

How Do Strigolactones Ameliorate Nutrient Deficiencies in Plants?

Kaori Yoneyama

Stomatal Development and Perspectives toward Agricultural Improvement

Hitoshi Endo and Keiko U. Torii

For additional articles in this collection, see <http://cshperspectives.cshlp.org/cgi/collection/>

A green banner advertisement for Gene Link. On the left is the Gene Link logo, which consists of three interlocking cubes. The text reads: 'All Modifications and Oligo Types Synthesized' in large white font, followed by 'Long Oligos • Fluorescent • Chimeric • DNA • RNA • Antisense' in smaller white font. On the right, there is a stylized image of a leaf with the text 'Oligo Modifications?' in a cursive font and 'Your wish is our command.' in a smaller sans-serif font below it.

Gene Link™

All Modifications and
Oligo Types Synthesized

Long Oligos • Fluorescent • Chimeric • DNA • RNA • Antisense

Oligo Modifications?
Your wish is our command.